

SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

- 2,4-D 2-ethylhexyl ester.** Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Absorbed dosage.** Biomonitoring of persons exposed to insecticides used in residences S143-S153
- Accuracy.** Definition and assessment of sampling and analytical accuracy 357-364
- Acids.** Inhalation exposure in secondary aluminium smelting 217-225
- Actinomyces.** Assessment of exposure to organic dust in a hemp processing plant 577-583
- Activity coefficients.** Predicting evaporation rates and times for spills of chemical mixtures 437-445
- Additive model.** The interaction of asbestos and smoking in lung cancer 341-356
- Aerodynamic particle sizer (APS).** Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54
- Aerosols**
Development of a push-pull ventilation system to control solder fume 669-676
Mixed-effects models for the evaluation of long-term trends in exposure levels with an example from the nickel industry 71-81
A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54
A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
- Aggregate exposure**
Assessing aggregate and cumulative pesticide risks using a probabilistic model S131-S142
New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
- Air cleaning.** Changes in the performances of filter media during clogging and cleaning cycles 115-121
- Air contamination.** Hemeon's Plant and Process Ventilation, Third Edition 167^b
- Air distribution.** Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- Air sampling.** Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
- Airborne particles**
Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- Alachlor.** Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Allergens.** Dust and allergen exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
- Alpha-amylase**
Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
Three centuries of research on baker's asthma: how close are we to prevention? 85-87
- Aluminium industry**
Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
Inhalation exposure in secondary aluminium smelting 217-225
Long-term trends in occupational exposure 499-500^{sc}
- Ammonia.** Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
- Anosite**
Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338^{sc}
- Amphibole fibres**
Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
Chinese chrysotile asbestos 145-152
Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501^{sc}
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338^{sc}
- Animal studies.** Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511
- Anthophyllite.** Amphibole fibres in Chinese chrysotile asbestos 145-152
- Application frequency.** Data on application frequency of pesticide for risk assessment purposes S95-S101
- APS** see Aerodynamic particle sizer
- Arc welding**
Strategies for risk assessment and control in welding: challenges for developing countries 295-298
Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Asbestos**
Amphibole fibres in Chinese chrysotile asbestos 145-152
Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
The interaction of asbestos and smoking in lung cancer 341-356
Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501^{sc}
A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338^{sc}
- Assigned protection factors.** Proposal for an approach with

- default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- Asthma**
- Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
 - Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
 - Three centuries of research on baker's asthma: how close are we to prevention? 85-87
- Atrazine**, Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Australia**
- An Australian experience of using work practices to establish an exposure model for shearers S103-S105
 - Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
 - Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
- Bacteria**
- Assessment of exposure to organic dust in a hemp processing plant 577-583
 - A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
 - Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
 - Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
 - Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Baker's asthma**
- Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
 - Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
 - Three centuries of research: how close are we to prevention? 85-87
- Base Estimate (BE)**, Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Bayesian methods**, Retrospective exposure assessment using Bayesian methods 651-667
- BE** see Base Estimate
- Benchmark guideline**, Urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
- Benzene**, Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Biocides**, Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
- Biological monitoring**
- Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623
 - Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
 - Persons exposed to insecticides used in residences S143-S153
- Biomechanics**, Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
- Brain lipids**, Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Breast cancer**, Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
- Breath analysis**, Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623
- Cairns 2000**, International Occupational Hygiene Association 255-256
- Calcium magnesium silicate (CMS) wool**, Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
- Calibration standards**, A comparison of international silica (al-quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
- California**, New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
- Canada**, Probabilistic exposure assessment of operator and residential non-dietary exposure; a Canadian regulatory perspective S43-S47
- Cancer**
- see also Carcinogenicity
 - Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
 - Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
 - Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
 - Cohort mortality study of North American industrial sand workers 193-207
 - Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
 - Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
 - Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
 - The interaction of asbestos and smoking in lung cancer 341-356
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338
- Capture efficiency**, Development of a push-pull ventilation system to control solder fume 669-676
- Carbon dioxide**, Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
- Carbon dioxide arc welding**, Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Carcinogenicity**
- see also Cancer
 - Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
 - A comparison of international silica (al-quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
 - Epidemiological evidence on the carcinogenicity of silica 83-84, 253
 - A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365-370
- Cascade impactors**, A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
- Cell wall molecules**, Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Cellulose**, Airborne polyvinyl alcohol (PVA) and cellulose

- fibre levels in fibre-cement factories in seven countries 625-630
- CEN criteria.** Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54
- Censored data.** Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Central nervous system.** Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Ceramic fibres.** Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
- Chemical mixtures.** Predicting evaporation rates and times for spills of chemical mixtures 437-445
- Chemical species 'fingerprinting'.** A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
- Chemicals.** Sharing toxicological information on industrial chemicals 291-294
- China**
- Amphibole fibres in Chinese chrysotile asbestos 145-152
 - Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Chloralkali industry.** Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
- Chlorpyrifos**
- Biomonitoring of persons exposed to insecticides used in residences S143-S153
 - Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
 - Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
- Chromium**
- Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511
 - Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- Chrysotile**
- Amphibole fibres in Chinese chrysotile asbestos 145-152
 - Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
 - Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501⁴
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338⁴
- Cigarette smoking.** Epidemiological evidence on the carcinogenicity of silica 83-84⁴
- Cleaning.** Changes in the performances of filter media during clogging and cleaning cycles 115-121
- Clogging.** Changes in the performances of filter media during clogging and cleaning cycles 115-121
- CMS** *see* Calcium magnesium silicate
- Coal tar.** Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
- Cobalt**
- Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418
 - A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365-370
- Cohort mortality study**
- North American industrial sand workers. Case-referent analysis of lung cancer and silicosis deaths 201-207
 - North American industrial sand workers. Estimation of past and present exposures to respirable crystalline silica 209-216
 - North American industrial sand workers. Mortality from lung cancer, silicosis and other causes 193-199
- Coke oven industry**
- Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
 - Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Colophony.** Development of a push-pull ventilation system to control solder fume 669-676
- Compostable waste.** Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Confidence.** Definition and assessment of sampling and analytical accuracy 357-364
- Construction industry.** Determinants of exposure to respirable quartz dust in the construction industry 585-595
- Consumer products**
- Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
 - Methods to study everyday use of products in households: the Wageningen mouthing study as an example S125-S129
 - Residential exposure should be considered in appropriate terms S167-S170
- Contamination**
- Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
 - Potential exposure of hands inside protective gloves—a summary of data from non-agricultural pesticide surveys 55-60
- Cooling towers.** Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
- Copper miners.** Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Counting**
- Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501⁴
 - A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455
 - Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
- Cristobalite.** Epidemiological evidence on the carcinogenicity of silica 253⁴
- Critical fibrous dimensions.** Airborne polyvinyl alcohol (PVA) and cellulose fibre levels in fibre-cement factories in seven countries 625-630
- Crocidolite**
- Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
 - Case-referent survey of young adults with mesothelioma: occupational analyses S19-523
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338⁴
- Crop data.** Field use information is important for assessing the risk of exposure S163-S166
- Crystalline silica.** Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Cumulative exposure**
- Assessing aggregate and cumulative pesticide risks using a probabilistic model S131-S142
 - New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
- Cytotoxicity.** Mixtures of nickel and cobalt chlorides induce

- synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418
- Database.** Temporal, personal and spatial variability in dermal exposure 257-273
- DC electrode positive gas metal arc welding (GMAW).** A model for prediction of fume formation rate in globular and spray modes 105-113
- Denmark**
- Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
 - Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164
- Deposition**
- Estimating the deposition and uptake of solvents in a dermal exposure model for spray painters 25-33
 - Subjective dermal exposure modelling of spray paint deposition 15-23
- Dermal exposure**
- Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21
 - Estimating the deposition and uptake of solvents 25-33
 - Handbook of Occupational Dermatology 166^b
 - Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
 - Potential exposure of hands inside protective gloves: a summary of data from non-agricultural pesticide surveys 55-60
 - Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
 - Refinement of risk assessment of dermally and intermittently exposed pesticide workers S23-S28
 - Subjective exposure modelling of spray paint deposition 15-23
 - Temporal, personal and spatial variability 257-273
 - Toxicology studies should be relevant for worker risk assessment S155-S157
 - Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Determinants of exposure.** Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Developing countries**
- Grassroots ergonomics: initiating an ergonomics program utilizing participatory techniques 283-289
 - Strategies for risk assessment and control in welding 295-298
- Disease.** Hunter's Diseases of Occupations 165-166^b
- Displacement ventilation.** Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- DNA adducts.** Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Dolomite-hosted mines.** Amphibole fibres in Chinese chrysotile asbestos 145-152
- Dopamine.** Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Dual-fraction samplers.** Applications of low-cost, dual-fraction dust samplers 35-42
- Dust**
- Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
 - Applications of low-cost, dual-fraction dust samplers 35-42
 - Assessment of exposure to organic dust in a hemp processing plant 577-583
 - Changes in the performances of filter media during clogging and cleaning cycles 115-121
 - A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
 - Determinants of exposure to respirable quartz dust in the construction industry 585-595
 - Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
 - Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
 - An exploratory quantitative risk assessment for high molecular weight sensitizers: wheat flour 175-185
 - Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
 - Inhalation exposure in secondary aluminium smelting 217-225
 - The quintessence of dust 171-173
 - Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
 - Three centuries of research on baker's asthma: how close are we to prevention? 85-87
 - Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
 - Weighing imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
 - Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164
- Effective irradiance.** Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Electric appliances.** Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
- Electron microscopy.** Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501^c
- Endotoxins**
- Assessment of exposure to organic dust in a hemp processing plant 577-583
 - Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
 - A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
 - Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Enzyme-linked immunoassay.** Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
- Epidemiology**
- Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
 - Epidemiological evidence on the carcinogenicity of silica, 83-84^c, 253^c
 - Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Ergonomics.** Grassroots ergonomics: initiating an ergonomics program utilizing participatory techniques 283-289
- Erionite.** A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365-370
- 2,4-D 2-Ethylhexyl ester.** Distributions and determinants of

- pre-emergent herbicide exposures among custom applicators 227-239
- European regulations.** Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- EUROPEM II database.** An example to illustrate the potential use of probabilistic modelling to estimate operator exposure to pesticides S55-S64
- Evaporation.** Predicting evaporation rates and times for spills of chemical mixtures 437-445
- Excretion.** A novel synthetic erionite fibre radiolabelled with ^{57}Co 365-370
- Exhaust ventilation**
Development of a push-pull ventilation system to control solder fume 669-676
Hemon's Plant and Process Ventilation, Third Edition 167^b
- Expert judgment.** Retrospective exposure assessment using Bayesian methods 651-667
- Exposure**
Amphibole fibres in Chinese chrysotile asbestos 145-152
Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
Biomonitoring of persons exposed to insecticides used in residences S143-S153
Cohort mortality study of North American industrial saw workers 193-216
Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21
Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
Determinants of exposure to respirable quartz dust in the construction industry 585-595
Development of a push-pull ventilation system to control solder fume 669-676
Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
Development and validation of the predicted heat strain model 123-135
Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511
Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
An example to illustrate the potential use of probabilistic modelling to estimate operator exposure to pesticides S55-S64
An exploratory quantitative risk assessment for high molecular weight sensitizers: wheat flour 175-185
Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
Inhalation exposure in secondary aluminium smelting 217-225
The interaction of asbestos and smoking in lung cancer 341-356
Long-term trends in occupational exposure 499-500^c
Mixed-effects models for the evaluation of long-term trends in exposure levels with an example from the nickel industry 71-81
Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418
Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia 371-380
Potential exposure of hands inside protective gloves—a summary of data from non-agricultural pesticide surveys 55-60
The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338^d
Refinement of risk assessment of dermally and intermittently exposed pesticide workers S23-S28
Residential exposure should be considered in appropriate terms S167-S170
Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
Temporal, personal and spatial variability in dermal exposure 257-273
Toxicology studies should be relevant for worker risk assessment S155-S157
Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164
- Exposure assessment**
Assessing aggregate and cumulative pesticide risks using a probabilistic model S131-S142
An Australian experience of using work practices to establish an exposure model for shearers S103-S105
Considerations regarding the collection of pesticide use information for regulatory purposes S81-S86
Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
Field use information is important for assessing the risk of exposure S163-S166
Grassroots ergonomics: initiating an ergonomics program utilizing participatory techniques 283-289
Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
Innovative exposure assessment of pesticide uses for appropriate risk assessment. Introductory remarks S1-S3
The need for appropriate use information to refine pesticide user exposure assessments S69-S79
New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
Organic dust in a hemp processing plant 577-583
Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
Probabilistic exposure assessment is essential for assessing risks S159-S162
Probabilistic exposure assessment of operator and residential non-dietary exposure S29-S54
Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
Retrospective exposure assessment using Bayesian methods 651-667

- Simultaneous assessment of occupational exposures from multiple worker groups 525-542
- Use of probabilistic methods in exposure assessment in Germany S65-S67
- Extremely low frequency magnetic fields.** Exposure among working women and homemakers 643-650
- Eyes.** Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Fibre-cement factories.** Airborne polyvinyl alcohol (PVA) and cellulose fibre levels in fibre-cement factories in seven countries 625-630
- Fibres**
- Airborne polyvinyl alcohol (PVA) and cellulose fibre levels in fibre-cement factories in seven countries 625-630
 - Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
 - Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
 - Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
 - Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
 - The interaction of asbestos and smoking in lung cancer 341-356
 - A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365-370
 - Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501¹
 - A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338¹
- Field exposure chambers.** Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
- Field use information**
- Assessing the risk of exposure S163-S166
 - Risk assessment of worker and residential exposure to pesticides: conclusions and recommendations S171-S174
- Filtration.** Changes in the performances of filter media during clogging and cleaning cycles 115-121
- Flour.** An exploratory quantitative risk assessment for high molecular weight sensitizers: wheat flour 175-185
- Flour dust**
- Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
 - Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
 - Three centuries of research on baker's asthma: how close are we to prevention? 85-87
- Fluorescence microscopy.** Recognition errors in the quantification of micro-organisms 493-498
- Fluoride.** Inhalation exposure in secondary aluminium smelting 217-225
- Fourier transform-infrared spectrophotometry.** A comparison of international silica (α -quartz) calibration standards 429-435
- Fumes.** A model for prediction of fume formation rate in gas metal arc welding (GMAW), globular and spray modes, DC electrode positive 105-113
- Fungal α -amylase**
- Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
 - Development and validation of a monoclonal based immunoassay: focus on peak exposures 89-95
- Three centuries of research on baker's asthma: how close are we to prevention? 85-87
- Fungi**
- Assessment of exposure to organic dust in a hemp processing plant 577-583
 - Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
- Furniture industry**
- Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
 - Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164
- Gardiner, Kerry.** President of the BOHS 2000-2001 339
- Gas metal arc welding (GMAW).** A model for prediction of fume formation rate in globular and spray modes, DC electrode positive 105-113
- Genetic polymorphisms.** Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Geometric mean protection factors.** A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143
- Germany.** Use of probabilistic methods in exposure assessment in Germany S65-S67
- Glass insulation wool.** Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
- Gloves**
- A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143
 - Potential exposure of hands inside protective gloves: a summary of data from non-agricultural pesticide surveys 55-60
 - Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- (1 \rightarrow 3)- β -D-glucan.** Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Glutathione S-transferase.** Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- GMAW** see Gas metal arc welding
- Grassroots Ergonomics.** Initiating an ergonomics program utilizing participatory techniques 283-289
- Grinding.** Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- GSTM1 gene.** Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- GSTT1 gene.** Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Hand-arm vibration.** Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
- Hands.** Potential exposure inside protective gloves—a summary of data from non-agricultural pesticide surveys 55-60
- Harmonisation.** A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455

- Health hazards.** Monitoring for Health Hazards at Work 419-420^b
- Health and safety.** Lighting for Health and Safety 503^b
- Hearing loss.** Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia 371-380
- Heat stress.** Development and validation of the predicted heat strain model 123-135
- Hemeon's Plant and Process Ventilation, Third Edition** 167^b
- Hemp.** Assessment of exposure to organic dust in a hemp processing plant 577-583
- Herbicides.** Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Household waste.** Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Hunter's Diseases of Occupations** 165-166^b
- Hydrogen sulfide.** Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
- 1-Hydroxypyrene**
 Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
 Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- IgE** see Immunoglobulin E
- Immunoassays.** Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
- Immunoglobulin E (IgE) sensitization.** Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
- Impact noise.** Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia 371-380
- Industrial chemicals**
 Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
 Sharing toxicological information on industrial chemicals 291-294
- Industrial oils.** A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
- Information transfer.** Sharing toxicological information on industrial chemicals 291-294
- Infrared spectrophotometry.** A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
- Inhalable dust** see Dust
- Inhalation**
 Assessment of exposure to organic dust in a hemp processing plant 577-583
 Development of a push-pull ventilation system to control solder fume 669-676
 Inhalation exposure in secondary aluminium smelting 217-225
 Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418
 A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
 Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
 Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
- Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
- Weighing imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
- Inorganic mercury.** Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
- Input data.** Probabilistic exposure assessment is essential for assessing risks S159-S162
- Insecticides**
 Biomonitoring of persons exposed to insecticides used in residences S143-S153
 Potential exposure of hands inside protective gloves: a summary of data from non-agricultural pesticide surveys 55-60
- Institute of Occupational Medicine (IOM) sampler**
 Applications of low-cost, dual-fraction dust samplers 35-42
 Weighing imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
- Insulation wool.** Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
- Intermittent exposure**
 Could pesticide toxicology studies be more relevant to occupational risk assessment? S19-S21
 Data on application frequency of pesticide for risk assessment purposes S95-S101
 Refinement of risk assessment of dermally and intermittently exposed pesticide workers S23-S28
 Toxicology studies should be relevant for worker risk assessment S155-S157
- International Occupational Hygiene Association.** Cairns 2000 255-256
- IOM** see Institute of Occupational Medicine
- Iron**
 Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
 Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Labelling.** Predicting evaporation rates and times for spills of chemical mixtures 437-445
- Laboratory assessment.** A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455
- Legionella pneumophila.** Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
- Leukaemia.** Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Lighting.** Lighting for Health and Safety 503^b
- Likelihood ratio test.** Simultaneous assessment of occupational exposures from multiple worker groups 525-542
- Limit of detection (LOD).** Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Limulus Amoebocyte Lysate assay.** A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
- Lipid peroxidation.** Effect of process parameters upon the

- dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- LOAEL** *see* Lowest Observed Adverse Effect Level
- LOD** *see* Limit of detection
- Long-term trends**
- Mixed-effects models for the evaluation of long-term trends in exposure levels with an example from the nickel industry 71-81
 - Occupational exposure 499-500⁴
- Lowest Observed Adverse Effect Level (LOAEL)**. The need for appropriate use information to refine pesticide user exposure assessments S69-S79
- Luminance**. Lighting for Health and Safety 503⁶
- Lung cancer**
- Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
 - Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
 - Cohort mortality study of North American industrial sand workers 193-207
 - Epidemiological evidence on the carcinogenicity of silica 83-84⁴, 253⁴
 - Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
 - The interaction of asbestos and smoking in lung cancer 341-356
 - A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365-370
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338⁴
- Lungs**
- Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
 - Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
 - Determinants of exposure to respirable quartz dust in the construction industry 585-595
- Lymphocytes**. Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Magnesium silicate wool**. Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384
- Magnetic fields**. Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
- Manganese**. Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Mannequin sampling**. A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
- Margin of safety**. Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
- Mean square error**. Definition and assessment of sampling and analytical accuracy 357-364
- Measurement accuracy**. Definition and assessment of sampling and analytical accuracy 357-364
- Mercury**. Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
- Mesothelioma**
- Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
 - Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
 - Case-referent survey of young adults with mesothelioma: occupational analyses 519-523
 - The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 327-338⁴
- Metal arc welding**
- A model for prediction of fume formation rate in gas metal arc welding (GMAW), globular and spray modes, DC electrode positive 105-113
 - Strategies for risk assessment and control in welding: challenges for developing countries 295-298
- Metal inert gas (MIG) welding**. Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Metalworking fluid**. A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
- Metolachlor**. Distributions and determinants of pre-emergent herbicide exposures among custom applicators 227-239
- Micro-organisms**
- Assessment of exposure to organic dust in a hemp processing plant 577-583
 - A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
 - Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
 - Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Micronuclei**. Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Microscopy**
- Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501⁴
 - Recognition errors in the quantification of micro-organisms by fluorescence microscopy 493-498
- MIG** *see* Metal inert gas
- Mine workers**. Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477
- Mining dust**. Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Mixed-effects models**
- The evaluation of long-term trends in exposure levels with an example from the nickel industry 71-81
 - Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
- Monoclonal antibodies**. Development and validation of a monoclonal based immunoassay for the measurement of fungal α -amylase: focus on peak exposures 89-95
- Monte Carlo assessment**
- Challenges of probabilistic assessment of operator and residential non-dietary exposure S49-S54
 - Retrospective exposure assessment using Bayesian methods 651-667
- Mouthing study**. Methods to study everyday use of products in households: the Wageningen mouthing study as an example S125-S129
- Multiple groups**. Simultaneous assessment of occupational exposures from multiple worker groups 525-542
- Multiplicative model**. The interaction of asbestos and smoking in lung cancer 341-356
- Musculoskeletal disorders**
- Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491

- Grassroots ergonomics: initiating an ergonomics program utilizing participatory techniques 283-289
- Nephritis.** North American industrial sand workers. Mortality from lung cancer, silicosis and other causes 193-199
- Neurotoxicity.** Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
- Nickel**
Mixed-effects models for the evaluation of long-term trends in exposure levels 71-81
Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418
A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
Retrospective exposure assessment using Bayesian methods 651-667
A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
- Nitrile gloves.** A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143
- No Observed Adverse Effect Level (NOAEL).** The need for appropriate use information to refine pesticide user exposure assessments S69-S79
- Noise.** Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia 371-380
- Obituary.** R. J. Sherwood 323-325
- Occupational Health: Risk Assessment and Management** 420*
- Oils.** A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576
- Operator exposure**
An example to illustrate the potential use of probabilistic modelling to estimate operator exposure to pesticides S55-S64
The need for appropriate use information to refine pesticide user exposure assessments S69-S79
Pesticide usage monitoring in the United Kingdom S87-S93
- Oral exposure**
Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21
Methods to study everyday use of products in households: the Wageningen mouthing study as an example S125-S129
Toxicology studies should be relevant for worker risk assessment S155-S157
- Overexposure**
Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
Simultaneous assessment of occupational exposures from multiple worker groups 525-542
- PAH** see Polycyclic aromatic hydrocarbons
- Painting**
Estimating the deposition and uptake of solvents in a dermal exposure model 25-33
Subjective dermal exposure modelling of spray paint deposition 15-23
- Participatory ergonomics.** Grassroots ergonomics: initiating an ergonomics program utilizing participatory techniques 283-289
- Particle size distribution.** A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
- Passive dust sampling.** Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
- Performance assessment**
Performance of asbestos fibre counting laboratories by transmission electron microscopy 61-69, 500-501²
A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447-455
- Permethrin.** A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143
- Personal air sampling.** Determinants of exposure to respirable quartz dust in the construction industry 585-595
- Personal breathing zone.** Assessment of exposure to organic dust in a hemp processing plant 577-583
- Personal passive dust monitor.** Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164
- Personal protective equipment.** Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- Pesticides**
Assessing aggregate and cumulative pesticide risks using a probabilistic model S131-S142
An Australian experience of using work practices to establish an exposure model for shearers S103-S105
Biomonitoring of persons exposed to insecticides used in residences S143-S153
Considerations regarding the collection of pesticide use information for regulatory purposes S81-S86
Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21
Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
Data on application frequency of pesticide for risk assessment purposes S95-S101
Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
An example to illustrate the potential use of probabilistic modelling to estimate operator exposure to pesticides S55-S64
Field use information is important for assessing the risk of exposure S163-S166
Innovative exposure assessment of pesticide uses for appropriate risk assessment. Introductory remarks S1-S3
The need for appropriate use information to refine pesticide user exposure assessments S69-S79
New challenges: residential exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143
Potential dermal and inhalation exposure to chlorpyrifos in Australian pesticide workers 299-308
Potential exposure of hands inside protective gloves—a summary of data from non-agricultural pesticide surveys 55-60
Probabilistic exposure assessment is essential for assessing risks S159-S162
Probabilistic exposure assessment of operator and residential non-dietary exposure S29-S54
Refinement of risk assessment of dermally and intermittently exposed pesticide workers S23-S28
Residential exposure should be considered in appropriate terms S167-S170

- Risk assessment of worker and residential exposure to pesticides: conclusions and recommendations S171–S174
- Temporal, personal and spatial variability in dermal exposure 257–273
- Toxicology studies should be relevant for worker risk assessment S155–S157
- Usage monitoring in the United Kingdom S87–S93
- Petroleum industry.** Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275–282
- Pharmacokinetics.** Could pesticide toxicology studies be more relevant to occupational risk assessment? S5–S21
- Photokeratoconjunctivitis.** Ultraviolet radiation emitted by CO₂ arc welding 597–601
- Pigs.** Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457–465
- Polycyclic aromatic hydrocarbons (PAH)**
- Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3–13
- Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395–408
- Inhalation exposure in secondary aluminium smelting 217–225
- Temporal, personal and spatial variability in dermal exposure 257–273
- Polyurethane foams.** Applications of low-cost, dual-fraction dust samplers 35–42
- Polyvinyl alcohol (PVA).** Airborne PVA and cellulose fibre levels in fibre-cement factories in seven countries 625–630
- Polyvinylchloride (PVC).** Methods to study everyday use of products in households: the Wageningen mouthing study as an example S125–S129
- Polyvinylchloride (PVC) gloves.** A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137–143
- Porous foams**
- Applications of low-cost, dual-fraction dust samplers 35–42
- A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555–568
- Predicted heat strain.** Development and validation of the predicted heat strain model 123–135
- Predictive pesticide exposure.** Considerations regarding the collection of pesticide use information for regulatory purposes S81–S86
- President of the BOHS 2000–2001.** Kerry Gardiner 339
- Probabilistic modelling**
- Assessing aggregate and cumulative pesticide risks using a probabilistic model S131–S142
- An example to illustrate the potential use of probabilistic modelling to estimate operator exposure to pesticides S55–S64
- Exposure assessment is essential for assessing risks S159–S162
- New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119–S123
- Probabilistic exposure assessment of operator and residential non-dietary exposure S29–S54
- Residential exposure should be considered in appropriate terms S167–S170
- Risk assessment of worker and residential exposure to pesticides: conclusions and recommendations S171–S174
- Use of probabilistic methods in exposure assessment in Germany S65–S67
- Process modification.** Strategies for risk assessment and control in welding: challenges for developing countries 295–298
- Proficiency testing**
- Performance of asbestos fibre counting laboratories by transmission electron microscopy 61–69, 500–501^c
- A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447–455
- Protection**
- A novel method of assessing the effectiveness of protective gloves—results from a pilot study 137–143
- Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543–553
- Protective gloves.** Potential exposure of hands inside protective gloves—a summary of data from non-agricultural pesticide surveys 55–60
- Protein.** Assessment of exposure to organic dust in a hemp processing plant 577–583
- Pulse pressure.** Changes in the performances of filter media during clogging and cleaning cycles 115–121
- Push-pull ventilation.** Development of a system to control solder fume 669–676
- PVA** *see* Polyvinyl alcohol
- PVC** *see* Polyvinylchloride
- Pyrene.** Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3–13
- Quality control.** A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes 447–455
- Quantitative risk assessment**
- An exploratory risk assessment for high molecular weight sensitizers: wheat flour 175–185
- Use of probabilistic methods in exposure assessment in Germany S65–S67
- Quartz**
- A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429–435
- Determinants of exposure to respirable quartz dust in the construction industry S85–S95
- Epidemiological evidence on the carcinogenicity of silica 83–84^c, 253^c
- Radiation.** Ultraviolet radiation emitted by CO₂ arc welding 597–601
- Radiolabels.** A novel synthetic erionite fibre radiolabelled with ⁵⁷Co 365–370
- RAE** *see* Relative asbestos effect
- Random-effects models**
- The evaluation of long-term trends in exposure levels with an example from the nickel industry 71–81
- Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677–687
- RCF** *see* Refractory ceramic fibres
- Recognition errors.** The quantification of micro-organisms by fluorescence microscopy 493–498
- Refractory ceramic fibres (RCF).** Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381–384
- Regulation**
- Considerations regarding the collection of pesticide use information for regulatory purposes S81–S86
- Pesticide usage monitoring in the United Kingdom S87–S93
- Probabilistic exposure assessment of operator and residential non-dietary exposure; a Canadian regulatory perspective S43–S47

- Relative asbestos effect (RAE).** The interaction of asbestos and smoking in lung cancer 341-356
- Renal disease.** North American industrial sand workers. Mortality from lung cancer, silicosis and other causes 193-199
- Reproducibility.** Weighing imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
- Reproductive toxicology.** Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511
- Required sweat rate.** Development and validation of the predicted heat strain model 123-135
- Residential exposure**
 Biomonitoring of persons exposed to insecticides used in residences S143-S153
 New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation, USA S119-S123
 Probabilistic exposure assessment of operator and residential non-dietary exposure S29-S54
 Residential exposure should be considered in appropriate terms S167-S170
 Risk assessment of worker and residential exposure to pesticides: conclusions and recommendations S171-S174
- Respirable aerosols.** Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54
- Respirable dust**
 Applications of low-cost, dual-fraction dust samplers 35-42
 Assessment of exposure to organic dust in a hemp processing plant 577-583
 A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
 Determinants of exposure to respirable quartz dust in the construction industry 585-595
- Respiratory protective devices.** Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- Retention.** A novel synthetic erionite fibre radiolabelled with ^{57}Co 365-370
- Retrospective exposure assessment**
 Bayesian methods 651-667
 Estimating mean exposures from censored data: exposure to benzene in the Australian petroleum industry 275-282
- Risk assessment**
 Assessing aggregate and cumulative pesticide risks using a probabilistic model S131-S142
 Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
 Considerations regarding the collection of pesticide use information for regulatory purposes S81-S86
 Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21
 Crossing the river stone by stone: approaches for residential risk assessment for consumers S107-S118
 Data on application frequency of pesticide for risk assessment purposes S95-S101
 Field use information is important for assessing the risk of exposure S163-S166
 Innovative exposure assessment of pesticide uses for appropriate risk assessment. Introductory remarks S1-S3
 Monitoring for Health Hazards at Work 419-420^b
 The need for appropriate use information to refine pesticide user exposure assessments S69-S79
 Occupational Health: Risk Assessment and Management 420^a
- Probabilistic exposure assessment is essential for assessing risks S159-S162
- Probabilistic exposure assessment of operator and residential non-dietary exposure S29-S54
- Proposal for an approach with default values for the protection offered by PPE, under European new or existing substance regulations 543-553
- Refinement of risk assessment of dermally and intermittently exposed pesticide workers S23-S28
- Strategies for risk assessment and control in welding: challenges for developing countries 295-298
- Use of probabilistic methods in exposure assessment in Germany S65-S67
- Worker and residential exposure to pesticides: conclusions and recommendations S171-S174
- Rosin.** Development of a push-pull ventilation system to control solder fume 669-676
- Sampling**
 Applications of low-cost, dual-fraction dust samplers 35-42
 Definition and assessment of sampling and analytical accuracy 357-364
 A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568
 Pesticide usage monitoring in the United Kingdom S87-S93
 Retrospective exposure assessment using Bayesian methods 651-667
 Sampling and detection of *Legionella pneumophila* aerosols generated from an industrial cooling tower 421-427
 Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54
 A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394
 Weighing imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
- Sand workers**
 Case-referent analysis of lung cancer and silicosis deaths 201-207
 Estimation of past and present exposures to respirable crystalline silica 209-216
 Mortality from lung cancer, silicosis and other causes 193-199
- Saudi Arabia.** Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia 371-380
- Scanning electron microscopy (SEM).** Airborne polyvinyl alcohol (PVA) and cellulose fibre levels in fibre-cement factories in seven countries 625-630
- SCE** see Sister-chromatid exchange
- Secondary aluminium smelting.** Inhalation exposure 217-225
- SEM** see Scanning electron microscopy
- Semen.** Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511
- Sensitization.** Allergen and dust exposure as determinants of work-related symptoms and sensitization in a cohort of flour-exposed workers; a case-control analysis 97-103
- Sensor arrays.** Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623
- Sensorineural complaints.** Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
- Shearers.** An Australian experience of using work practices to establish an exposure model for shearers S103-S105
- Sherwood, R. J.** Obituary 323-325

Silica

- Cohort mortality study of North American industrial sand workers 193-216
- A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435
- Determinants of exposure to respirable quartz dust in the construction industry 585-595
- Epidemiological evidence of carcinogenicity 83-84^f, 253^f
- Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642

Simulation. A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394

Simultaneous assessment. Assessment of occupational exposures from multiple worker groups 525-542

Sister-chromatid exchange (SCE). Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408

Size-selective aerosol sampling. Study of fifteen respirable aerosol samplers used in occupational hygiene 43-54

Skin exposure *see* Dermal exposure

Smoking

- Biological monitoring the exposure to polycyclic aromatic hydrocarbons of coke oven workers in relation to smoking and genetic polymorphisms for *GSTM1* and *GSTT1* 395-408
- Epidemiological evidence on the carcinogenicity of silica 83-84^f

- The interaction of asbestos and smoking in lung cancer 341-356
- The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure 329-335^f, 336-338^f

SMR *see* Standardised mortality ratio

Soldering. Development of a push-pull ventilation system to control solder fume 669-676

Solvents

- Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623
- Estimating the deposition and uptake of solvents in a dermal exposure model for spray painters 25-33

South Africa. Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477

Sparse data. Retrospective exposure assessment using Bayesian methods 651-667

Spatter. A model for prediction of fume formation rate in gas metal arc welding (GMAW), globular and spray modes, DC electrode positive 105-113

Speciation. A new approach to sampling for particle size and chemical species 'fingerprinting' of workplace aerosols 555-568

Spectrophotometry. A comparison of international silica (α -quartz) calibration standards by Fourier transform-infrared spectrophotometry 429-435

Sperm quality. Effect of Cr(VI) exposure on sperm quality: human and animal studies 505-511

Spills. Predicting evaporation rates and times for spills of chemical mixtures 437-445

Spray painting

- Estimating the deposition and uptake of solvents in a dermal exposure model 25-33
- Subjective dermal exposure modelling of spray paint deposition 15-23

Spray pumps. A novel method of assessing the effectiveness of protective gloves: results from a pilot study 137-143

Standard-setting. Sharing toxicological information on industrial chemicals 291-294

Standardised mortality ratio (SMR). The interaction of asbestos and smoking in lung cancer 341-356

Stratification. Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471

Subjective exposure modelling. A dermal model for spray painters 15-23

Substitution. Dustiness of different high-temperature insulation wools and refractory ceramic fibres 381-384

Sump fluids. A model for predicting endotoxin concentrations in metalworking fluid sumps in small machine shops 569-576

Surface acoustic wave sensor. Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623

Sweat rate. Development and validation of the predicted heat strain model 123-135

Swine. Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465

Symmetric-range accuracy A. Definition and assessment of sampling and analytical accuracy 357-364

Synergy

The interaction of asbestos and smoking in lung cancer 341-356

Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418

Temperature. Development and validation of the predicted heat strain model 123-135

Termiticides. Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321

Thermal stress. Development and validation of the predicted heat strain model 123-135

Time-weighted averaging model. Retrospective exposure assessment using Bayesian methods 651-667

Tin miners. Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642

Tolerance. Definition and assessment of sampling and analytical accuracy 357-364

Total aerosol. A study of workers' exposures to the inhalable and 'total' aerosol fractions in the primary nickel production industry using mannequins to simulate personal sampling 385-394

Total dust. Wood dust exposure in the Danish furniture industry using conventional and passive monitors 157-164

Toxicology studies

Could pesticide toxicology studies be more relevant to occupational risk assessment? S5-S21

Innovative exposure assessment of pesticide uses for appropriate risk assessment. Introductory remarks S1-S3

Mixtures of nickel and cobalt chlorides induce synergistic cytotoxic effects: implications for inhalation exposure modeling 409-418

Risk assessment of worker and residential exposure to pesticides: conclusions and recommendations S171-S174

Sharing toxicological information on industrial chemicals 291-294

Studies should be relevant for worker risk assessment S155-S157

Transmission electron microscopy. Performance of asbestos fibre counting laboratories 61-69, 500-501^f

Tremolite

Amphibole fibres in Chinese chrysotile asbestos 145-152

Asbestos lung fibre concentrations in South African chrysotile mine workers 473-477

- 3,5,6-Trichloro-2-pyridinol**, Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
- Tungsten miners**, Estimating historical respirable crystalline silica exposures for Chinese pottery workers and iron/copper, tin, and tungsten miners 631-642
- Ultraviolet radiation**, UV radiation emitted by CO₂ arc welding 597-601
- Uncertainty**
Challenges of probabilistic assessment of operator and residential non-dietary exposure S49-S54
Definition and assessment of sampling and analytical accuracy 357-364
- United Kingdom**, Pesticide usage monitoring in the United Kingdom S87-S93
- United States**, New challenges: residential pesticide exposure assessment in the California Department of Pesticide Regulation S119-S123
- Urine**, Benchmark guideline for urinary 1-hydroxypyrene as biomarker of occupational exposure to polycyclic aromatic hydrocarbons 3-13
- Usage statistics**
Considerations regarding the collection of pesticide use information for regulatory purposes S81-S86
Field use information is important for assessing the risk of exposure S163-S166
The need for appropriate use information to refine pesticide user exposure assessments S69-S79
- Vapour-phase diffusion coefficients**, Predicting evaporation rates and times for spills of chemical mixtures 437-445
- Variability**
Challenges of probabilistic assessment of operator and residential non-dietary exposure S49-S54
Determinants of chlorpyrifos exposures and urinary 3,5,6-trichloro-2-pyridinol levels among termiticide applicators 309-321
Heterogeneity in sources of exposure variability among groups of workers exposed to inorganic mercury 677-687
Temporal, personal and spatial variability in dermal exposure 257-273
- Variance components**
Simultaneous assessment of occupational exposures from multiple worker groups 525-542
Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
- Ventilation**
Changes in the performances of filter media during clogging and cleaning cycles 115-121
Development of a push-pull ventilation system to control solder fume 669-676
Exposure assessment to airborne endotoxin, dust, ammonia, hydrogen sulfide and carbon dioxide in open style swine houses 457-465
Hemeon's Plant and Process Ventilation, Third Edition 167"
Retrospective exposure assessment using Bayesian methods 651-667
Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
- Vibration**, Associations between hand-wrist musculoskeletal and sensorineural complaints and biomechanical and vibration work constraints 479-491
- Volatile organic compounds**, Analysis of solvent vapors in breath and ambient air with a surface acoustic wave sensor array 609-623
- Wageningen mouthing study**, Methods to study everyday use of products in households: the Wageningen mouthing study as an example S125-S129
- Waste collectors**, Seasonal variations in exposure to microbial cell wall components among household waste collectors 153-156
- Weighing**, Imprecision and handleability of the sampling cassettes of the IOM sampler for inhalable dust 241-252
- Welding**
Effect of process parameters upon the dopamine and lipid peroxidation activity of selected MIG welding fumes as a marker of potential neurotoxicity 187-192
A model for prediction of fume formation rate in gas metal arc welding (GMAW), globular and spray modes, DC electrode positive 105-113
Strategies for risk assessment and control in welding: challenges for developing countries 295-298
Stratification of welding fumes and grinding particles in a large factory hall equipped with displacement ventilation 467-471
Ultraviolet radiation emitted by CO₂ arc welding 597-601
- Wheat flour**, An exploratory quantitative risk assessment for high molecular weight sensitizers 175-185
- Women**, Exposure to extremely low frequency magnetic fields among working women and homemakers 643-650
- Wood dust**
Exposure in the Danish furniture industry using conventional and passive monitors 157-164
Variations in exposure to inhalable wood dust in the Danish furniture industry. Within- and between-worker and factory components estimated from passive dust sampling 603-608
- Wool**, An Australian experience of using work practices to establish an exposure model for shearers S103-S105
- World Health Organization**, Airborne polyvinyl alcohol (PVA) and cellulose fibre levels in fibre-cement factories in seven countries 625-630
- Young adults**
Case-referent survey of young adults with mesothelioma: lung fibre analyses 513-518
Case-referent survey of young adults with mesothelioma: occupational analyses 519-523

AUTHOR INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

- Abramson, M. 499^L
 Ahmed, H. O. 371
 Alfano, G. 123
 Allan, L. J. 577
 Armstrong, B. G. 513
 Arroyo, M. C. 447
 Ashoor, A. 371
 Asker-Browne, D. 503^b
- Badran, O. 371
 Ballal, S. G. 371
 Barraj, L. 549
 Barregård, L. 677
 Bartlett, K. 569
 Bartley, D. L. 357
 Bømer, D. 115
 Benke, G. 499^L
 Bergman, G. 241
 Bernard, C. E. S143
 Blomquist, G. 493
 Bradley, S. D. 217
 Brouwer, D. H. 15, 25, 543
 Brown, R. C. 381
 Browne, K. 327^L
 Bruijntjes-Rozier, T. C. D. M. 395
 Burdorf, A. 85
- Cain, J. R. 669
 Callé, S. 115
 Campbell, C. S43
 Carmichael, N. G. S19
 Castranova, V. 505
 Cattani, M. 299
 Cena, K. 299
 Chaisson, C. F. S131
 Chan, W. 71, 677
 Chang, C. W. 457
 Chang, C.-C. 71
 Chen, B. T. 631
 Chen, C. 505
 Chen, J. Q. 631
 Chen, Q. 505
 Chen, W. 631
 Cherrie, J. W. 15, 25, 137, 669
 Chung, H. 457
 Chung, K. 35
 Class, P. 381
 Cochra, R. C. S5
 Cock, N. 479
 Contal, P. 115
 Cook, A. 97
 Cowie, H. 669
 Cramers, P. 395
 Creely, K. S. 137
 Cross, D. P. 409
 Cullinan, P. 97
 Curran, A. D. 89, 577
- Darnton, A. 336^L
 De Raeve, H. 625
 de Vogel, N. 395
 Deddens, J. A. 227, 309
 Deghilage, P. 381
 Den Hartog, E. 123
 Denis, J. 43
 Dennis, J. H. 105, 371
 Denniss, S. 89
- Dick, F. 25
 Dilworth, M. 35
 Dinoff, T. M. S143
 Dinsdale, D. 365
 Driver, J. H. S5
- Eduard, W. 493
 Edwards, C. W. 513, 519
 Edwards, J. 299
 Elms, J. 89
 Engström, K. 467
 Ernst, E. 505
 Evans, A. T. 187
 Evans, P. G. 89
- Fabriès, J.-F. 43
 Fairhurst, S. 291
 Fehr, R. S65
 Feveile, H. 603
 Fishwick, D. 577
- Gao, P. 631
 Gardiner, K. 339
 Garrod, A. N. I. 55
 Garton, E. 473
 Gebhardt, H. 123
 Gibbs, A. R. 513, 519
 Glass, D. C. 275
 Görner, P. 43
 Gray, C. N. 275
 Griefahn, B. 123
 Griffin, P. 89
 Groeneveld, C. N. S95, S155, S171
 Groves, W. A. 609
 Grzebyk, M. 61, 500^L
- Hakkert, B. C. S23
 Hamer, P. Y. S55, S69
 Hammond, C. 35
 Havenith, G. 123
 Healy, J. 217
 Hearl, F. J. 631
 Heederik, D. 175
 Heldal, K. K. 493
 Hewitt, P. J. 105, 187, 295
 Hines, C. J. 227, 309
 Hodgson, J. 336^L
 Holmer, I. 123
 Hopmans, P. M. J. 395
 Hori, H. 421
 Hornung, R. W. 227
 Hoskins, J. A. 365
 Houba, R. 175
 Houghton, C. E. 365
 Howie, R. M. 335^L
 Huang, C. F. 457
 Hudson, N. J. 187
 Hughes, J. M. 193, 201, 209
 Hunter Youngren, S. S49
- Ishimatsu, S. 421
 Ismail, M. 371
- Jacobsen, M. 253^L
 Jerwood, D. 371
 Jones, J. W. 35
 Jones, T. 365
- Jongeneelen, F. J. 3
- Kampmann, B. 123
 Kauffer, E. 61, 500^L
 Kenny, L. 35
 Kerr, S. M. 555
 Koskela, H. 467
 Kotilainen, M. 145
 Krieger, R. I. S5, S143
 Kromhout, H. 257, 499^L, 525
 Kupper, L. L. 525
- Leclerc, D. 115
 Li, H. 505
 Li, L. 505
 Li, S. 505
 Liddell, D. 329^L
 Liddell, F. D. K. 341
 Lidén, G. 241
 Lloyd, H. M. 513, 519
 Loomis, D. 643
 Lumens, M. E. G. L. 585
 Luchick, C. S29
- Maas, L. 395
 McCawley, M. A. 631
 McCurdy, A. L. 643
 McDonald, A. D. 193, 201, 209
 McDonald, C. 171^L
 McDonald, J. C. 193, 201, 209, 513, 519
 Malchaire, J. 123, 479
 Marquart, H. 543
 Marquart, J. 15, S81
 Martine, M. 61, 500^L
 Mehnert, P. 123
 Mekel, O. C. S65
 Merlo, F. 83^L
 Mička, V. 43
 Mikkelsen, A. B. 157
 Miller, B. G. 84^L
 Mitchell, M. S43
 Miyamoto, H. 421
 Mongan, L. C. 365
- Nemery, B. 625
 Newman Taylor, A. J. 97
 Nielsen, B. H. 493
 Niemelä, R. 467
 Nieuwenhuijsen, M. J. 85, 97
 Niven, R. 420^b
 Northage, C. 217
 Nylander-French, L. A. 643
- Odencrantz, J. 631
 Ogden, T. I. 323
 Ojima, J. 597
 Okuno, T. 597
 Oldershaw, P. 255, 291
- Pan, G. 145
 Park, D. 569
 Parsons, K. 123
 Patrick, G. 365
 Pemberton, J. A. 55
 Phillips, A. M. 55
 Phillips, J. I. 473

- Piette, A. 123, 479
 Piney, M. 167^b
 Pisaniello, D. 299
 Pooley, F. D. 473, 513, 519
 Powell, S. S119
 Pr  at, B. 500^c
 Price, P. S. S131

 Ramachandran, G. 409, 555, 651
 Rando, R. J. 193, 201, 209
 Rappaport, S. M. 525
 Redding, C. A. J. 105
 Rees, D. 473
 Rojo, J. M. 447
 Rood, A. P. 365
 Ross, D. J. 513, 519
 Ross, J. H. S5, S143
 Rudd, R. M. 513, 519
 Rycroft, R. J. G. 166^b

 Saito, H. 597
 S  llsten, G. 677
 Sandiford, C. 97
 Sandino, J. P. 61, 500^c
 Savitz, D. 643
 Schaumburg, I. 157, 603
 Schipper, A. H. J. S171
 Schipper, H. J. S95, S163
 Schl  nssen, V. 157, 603
 Schouten, T. 395
 Scobbie, E. 217
 Semple, S. 15, 25
 Shaw, D. S. 429
 Shi, R. 201, 209
 Shi, X. 505
 Shreeve, Z. 35

 Sim, M. 499^c
   koda, V. 43
 Smith, M. 89
 Smith, R. L. 437
 Soderholm, S. C. 631
 Soutar, C. A. 84^c
 Spee, T. 585
 Steenbekkers, L. P. A. S125
 Steenwinkel, M.-J. S. T. 395
 Su, H. J. J. 457
 Susi, P. 525
 Symanski, E. 71, 677

 Takahashi, K. 145
 Tanaka, I. 421
 Taylor, D. 525
 Tee, R. D. 97
 Teschke, K. 569
 Thomas, D. 115
 Thomas, M. R. S87
 Thongsinthusak, T. S5
 Thorn, J. 153
 Tossavainen, A. 145
 Tsai, P.-J. 385
 Tucker, S. P. 227

 Vallyathan, V. 505
 van Asten, J. G. 395
 Van Cleemput, J. 625
 van Delft, J. H. M. 395
 van der Jagt, K. E. S1, S167, S171
 van Drooge, H. L. S95, S159, S171
 Van Engelen, J. G. S107
 van Haelst, A. G. S159, S171
 van Hemmen, J. J. S1, S155, S171, 543

 van Herwijnen, M. H. 395
 van Raaij, M. T. S107
 van Schooten, F.-J. 395
 Van Veen, M. P. S107
 Vanhala, E. 145
 Venables, K. M. 97, 165^b
 Verma, D. K. 429
 Vermeulen, R. 257, 499^c
 Vigneron, J. C. 61, 500^c
 Villi  re, V. S103
 Vincent, J. H. 385, 555
 Vinzents, P. S. 157, 603

 Wang, L. 505
 Watson, S. I. 669
 Wattenberg, E. V. 409
 Weaver, M. A. 525
 Weill, H. 193, 201, 209
 Wijnberg, L. 643
 Wiley, K. 89
 Williams, R. L. S143
 Winton, J. 35
 Woolley, A. 419^b
 Workman, A. D. 105
 Wright, A. 577
 Wrobel, R. 43

 Yao, W. 505
 Yeung, C. K. 187
 Yoshida, S.-I. 421
 Young, J. S. S131
 Youngren, M. A. S49

 Zalk, D. M. 283
 Zellers, E. T. 609
 Zhuang, Z. 631